

Hydex[®]

Sideboard Extensions





Sideboard Extensions

The Hydex side extension modification has been designed to offer increased capacity to the standard CAT® articulated truck dump body. These extensions can be used to improve your application by reducing spoil spillage when carrying a standard sized load or increasing the volumetric capacity if a lighter material is being carried.

- Available for 725, 730, 735, 740 and 745 Cat® Articulated Dump Trucks
- Welded or removable bolt-on design using Cat® hardware
- Height options range from 150 mm to 500mm
- Optional extended tailboard and headboard infill
- Two-piece extension for easy fitment, handling and transportation.





Head Office:

Bishop's Stortford, United Kingdom
Twyford Business Centre, London Road, CM23 3YT,
Hertfordshire, United Kingdom

International Sales Offices

N. AMERICA & CANADA

1279-120th Ave NE, Bellevue, WA. 98005, USA.
Telephone: +1 (800) 584-3198
Email: info@hydexus.com

EAME & ASIA PACIFIC

Unit 30, Twyford Ind Est, Bishops Stortford, Herts, CM23
3YT, England.
Telephone: +44 (0) 1279 755590
Email: info@hydexus.com

LATIN AMERICA

Daytona Beach, Florida
Telephone: +1 (386) 846-1250
Email: info@hydexus.com

Materials and specifications are subject to change without notice. See your Caterpillar dealer for standard and optional cab equipment. Hydex is a registered trademark. CAT, Caterpillar, ACERT, their respective logos, "Caterpillar Yellow" and the POWER EDGE trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

Related Products



Water Tanks

The Hydex WT range is a complete line of water trucks from Hydex Solutions Ltd. More than just a water tank, it's a water truck; an integrated machine designed for dust suppression on the most demanding mining, quarrying and construction sites.



High Capacity Bodies

The HYDEX HCT30 is designed for hauling waste on to and around landfill sites. Based on the Cat 730 Articulated Truck chassis offering proven reliability and durability, high class performance and productivity, optimum payload, operator comfort and ease of operation.